

4111 Series													
1 Piece, Flanged ANSI Class 150, C/S Standard Port Ball Valve													
O Series						E Series				Electric		Manual	
Spring Return			Double Acting			Spring Return		Double Acting					
	80 PSIG	60 PSIG	80 PSIG	60 PSIG	80 PSIG	60 PSIG	80 PSIG	60 PSIG	N4		XP		
	*4111T--08S**	*4111T--06S**	*4111T--08D**	*4111T--06D**	*4111T--E8S**	*4111T--E6S**	*4111T--E8D**	*4111T--E6D**	*4111T--K4A	*4111T--O4*	*4111T--E7A*	*4111TM	
C 1/2"	\$ 417	\$ 457	\$ 378	\$ 401	\$ 497	\$ 529	\$ 466	\$ 466	964	1344	1109	158	
D 3/4"	\$ 475	\$ 475	\$ 419	\$ 419	\$ 547	\$ 547	\$ 484	\$ 484	982	1362	1127	176	
E 1"	\$ 498	\$ 498	\$ 442	\$ 442	\$ 570	\$ 570	\$ 507	\$ 543	1005	1385	1150	203	
G 1 1/2"	\$ 565	\$ 565	\$ 544	\$ 544	\$ 701	\$ 728	\$ 577	\$ 577	1039	1419	2035	306	
H 2"	\$ 685	\$ 758	\$ 622	\$ 622	\$ 806	\$ 998	\$ 730	\$ 753	1117	1497	2113	384	
I 2 1/2"	\$ 979	\$ 979	\$ 843	\$ 884	\$ 1,219	\$ 1,219	\$ 951	\$ 974	1338	1718	2334	608	
J 3"	\$ 995	\$ 1,082	\$ 859	\$ 956	\$ 1,235	\$ 1,235	\$ 990	\$ 990	1754	2305	2350	624	
K 4"	\$ 1,651	\$ 1,651	\$ 1,451	\$ 1,451	\$ 1,816	\$ 2,591	\$ 1,650	\$ 1,650	2082	2633	4914	932	
* Size Code ** Fail Position: C=Closed, O=Open									A = 120VAC, ** Use: B(24VDC) or F(12VDC)				
* -- Use: D (Direct Mount), or B (Bracket Mount) Actuator													
4161 Series													
1 Piece, Flanged ANSI Class 150, 316SS Standard Port Ball Valve													
O Series						E Series				Electric		Manual	
Spring Return			Double Acting			Spring Return		Double Acting					
	80 PSIG	60 PSIG	80 PSIG	60 PSIG	80 PSIG	60 PSIG	80 PSIG	60 PSIG	N4		XP		
	*4161T--08S**	*4161T--06S**	*4161T--08D**	*4161T--06D**	*4161T--E8S**	*4161T--E6S**	*4161T--E8D**	*4161T--E6D**	*4161T--K4A	*4161T--O4*	*4161T--E7A*	*4161TM	
C 1/2"	\$ 453	\$ 493	\$ 414	\$ 437	\$ 533	\$ 565	\$ 502	\$ 502	1000	1380	1145	194	
D 3/4"	\$ 518	\$ 518	\$ 462	\$ 462	\$ 590	\$ 590	\$ 527	\$ 527	1025	1405	1170	219	
E 1"	\$ 584	\$ 584	\$ 528	\$ 528	\$ 656	\$ 656	\$ 593	\$ 629	1091	1471	1236	289	
G 1 1/2"	\$ 631	\$ 631	\$ 610	\$ 610	\$ 767	\$ 794	\$ 643	\$ 643	1105	1485	2101	372	
H 2"	\$ 816	\$ 889	\$ 753	\$ 753	\$ 937	\$ 1,129	\$ 861	\$ 884	1248	1628	2244	515	
I 2 1/2"	\$ 1,159	\$ 1,159	\$ 1,023	\$ 1,064	\$ 1,399	\$ 1,399	\$ 1,131	\$ 1,154	1518	1898	2514	788	
J 3"	\$ 1,241	\$ 1,328	\$ 1,105	\$ 1,202	\$ 1,481	\$ 1,481	\$ 1,236	\$ 1,236	2000	2551	2596	870	
K 4"	\$ 2,110	\$ 2,110	\$ 1,910	\$ 1,910	\$ 2,275	\$ 3,050	\$ 2,109	\$ 2,109	2541	3092	5373	1391	
* Size Code ** Fail Position: C=Closed, O=Open									A = 120VAC, ** Use: B(24VDC) or F(12VDC)				
* -- Use: D (Direct Mount), or B (Bracket Mount) Actuator													
Bracket Pricing													
C	\$ 100												
D	\$ 100												
E	\$ 100												
G	\$ 100												
H	\$ 100												
I	\$ 270												
J	\$ 270												
K	\$ 270												
Accessory items													
Solenoid Valves													
Code													
E1*	3-Way Nema 4/4X, potted 1/2" Conduit, NAMUR Mount									\$	86		
E2*	3-Way Nema 4/4X/7, potted 1/2" Conduit, NAMUR Mount									\$	122		
E3*	3-Way Nema 4/4X Din Cord Grip, NAMUR Mount									\$	68		
E4*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount									\$	77		
E5*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 6' Cord Set									\$	94		
E6*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 15' Cord Set									\$	102		
C1*	3/4-Way Nema 4/4X, potted 1/2" Conduit, NAMUR Mount									\$	122		
C2*	3/4-Way Nema 4/4X/7, potted 1/2" Conduit, NAMUR Mount									\$	158		
C3*	3/4-Way Nema 4/4X Din Cord Grip, NAMUR Mount									\$	110		
C4*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount									\$	110		
C5*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 6' Cord Set									\$	127		
C6*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 15' Cord Set									\$	135		
* Voltage Codes A=120VAC, B = 24VDC, C=220VAC, E=24VAC, F=12VDC, Others Available)													
Limit Switches													
YF	Weatherproof 2 SPDT, Mechanical									\$	83		
YO	Class I, Div II, Proximity Sensor, Lexan Cover									\$	516		
YH	Class I, Div I, Proximity Sensor, Alum. Cover									\$	553		
YE	Class I, Div I, Mechanical Switch, Alum. Cover									\$	369		
UA	Weatherproof Efelector IN0117 AC/DC Non-Contact, 2 NO Contacts									\$	220		
UB	Weatherproof Efelector IN5327 DC Non-Contact, 2 NO Contacts									\$	204		
Manual Valve with Limit Switch													
Call Factory for Pricing													
Pneumatic Actuator Positioners													
P5	3-15PSIG input PMV Positioner (w/o gauges)									\$	696		
E5	4-20mADC Input positioners (w/o gauges)									\$	1,240		
									Effective:		11/1/2008		

4211 Series													
2 Piece, Flanged ANSI Class 150, C/S Full Port, Ball Valve													
O Series						E Series				Electric		Manual	
Spring Return		Double Acting		Spring Return		Double Acting				N4	XP		
80 PSIG	60 PSIG	80 PSIG	60 PSIG	80 PSIG	60 PSIG	80 PSIG	60 PSIG	80 PSIG	60 PSIG				
	*4211T--08S**	*4211T--06S**	*4211T--08D**	*4211T--06D**	*4211T--E8S**	*4211T--E6S**	*4211T--E8D**	*4211T--E6D**	*4211T--K4A	*4211T--O4**	*4211T--E7A	*4211TM	
E 1"	\$ 565	\$ 565	\$ 544	\$ 544	\$ 604	\$ 701	\$ 577	\$ 577	1039	1419	1184	301	
G 1½"	\$ 643	\$ 685	\$ 622	\$ 622	\$ 779	\$ 806	\$ 655	\$ 730	1117	1497	2113	384	
H 2"	\$ 877	\$ 877	\$ 741	\$ 741	\$ 1,117	\$ 1,117	\$ 849	\$ 872	1236	1616	2232	503	
I 2½"	\$ 1,164	\$ 1,405	\$ 1,038	\$ 1,038	\$ 1,317	\$ 1,317	\$ 1,072	\$ 1,224	1436	2387	2432	706	
J 3"	\$ 1,419	\$ 1,553	\$ 1,353	\$ 1,353	\$ 1,718	\$ 1,718	\$ 1,372	\$ 1,372	1984	2535	4816	854	
K 4"	\$ 2,205	\$ 2,492	\$ 1,902	\$ 1,902	\$ 2,907	\$ 3,433	\$ 1,966	\$ 2,518	3198	2949	5230	1248	
* Size Code ** Fail Position: C=Closed, O=Open									A = 120VAC, ** Use: B(24VDC) or F(12VDC)				
' --- Use: D (Direct Mount), or B (Bracket Mount) Actuator													
4261 Series													
2 Piece, Flanged ANSI Class 150, 316SS Full Port, Ball Valve													
O Series						E Series				Electric		Manual	
Spring Return		Double Acting		Spring Return		Double Acting				N4	XP		
80 PSIG	60 PSIG	80 PSIG	60 PSIG	80 PSIG	60 PSIG	80 PSIG	60 PSIG	80 PSIG	60 PSIG				
	*4261T--08S**	*4261T--06S**	*4261T--08D**	*4261T--06D**	*4261T--E8S**	*4261T--E6S**	*4261T--E8D**	*4261T--E6D**	*4261T--K4**	*4261T--O4**	*4261T--E7A	*4261TM	
E 1"	\$ 620	\$ 620	\$ 599	\$ 531	\$ 659	\$ 756	\$ 632	\$ 632	1094	1474	1239	356	
G 1½"	\$ 700	\$ 742	\$ 679	\$ 679	\$ 836	\$ 863	\$ 712	\$ 787	1174	1554	2170	441	
H 2"	\$ 961	\$ 961	\$ 825	\$ 825	\$ 1,009	\$ 1,201	\$ 933	\$ 956	1320	1700	2316	587	
I 2½"	\$ 1,525	\$ 1,766	\$ 1,399	\$ 1,399	\$ 1,678	\$ 1,678	\$ 1,433	\$ 1,585	1797	2748	2793	1067	
J 3"	\$ 1,767	\$ 1,901	\$ 1,701	\$ 1,607	\$ 2,066	\$ 2,066	\$ 1,720	\$ 1,720	2332	2883	5164	1202	
K 4"	\$ 2,680	\$ 2,967	\$ 2,377	\$ 2,377	\$ 3,382	\$ 3,908	\$ 2,441	\$ 2,993	3673	3424	5705	1723	
* Size Code ** Fail Position: C=Closed, O=Open									A = 120VAC, ** Use: B(24VDC) or F(12VDC)				
' -- Use: D (Direct Mount), or B (Bracket Mount) Actuator													
Bracket Pricing													
E	\$ 100												
G	\$ 100												
H	\$ 100												
I	\$ 270												
J	\$ 270												
K	\$ 270												
Accessory items													
Solenoid Valves													
Code													
E1*	3-Way Nema 4/4X, potted 1/2" Conduit, NAMUR Mount								\$	86			
E2*	3-Way Nema 4/4X/7, potted 1/2" Conduit, NAMUR Mount								\$	122			
E3*	3-Way Nema 4/4X Din Cord Grip, NAMUR Mount								\$	68			
E4*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount								\$	77			
E5*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 6' Cord Set								\$	94			
E6*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 15' Cord Set								\$	102			
C1*	3/4-Way Nema 4/4X, potted 1/2" Conduit, NAMUR Mount								\$	122			
C2*	3/4-Way Nema 4/4X/7, potted 1/2" Conduit, NAMUR Mount								\$	158			
C3*	3/4-Way Nema 4/4X Din Cord Grip, NAMUR Mount								\$	110			
C4*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount								\$	110			
C5*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 6' Cord Set								\$	127			
C6*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 15' Cord Set								\$	135			
* Voltage Codes A=120VAC, B = 24VDC, C=220VAC, E=24VAC, F=12VDC, Others Available)													
Limit Switches													
YF	Weatherproof 2 SPDT, Mechanical								\$	83			
YO	Class I, Div II, Proximity Sensor, Lexan Cover								\$	516			
YH	Class I, Div I, Proximity Sensor, Alum. Cover								\$	553			
YE	Class I, Div I, Mechanical Switch, Alum. Cover								\$	369			
UA	Weatherproof Efector IN0117 AC/DC Non-Contact, 2 NO Contacts								\$	220			
UB	Weatherproof Efector IN5327 DC Non-Contact, 2 NO Contacts								\$	204			
Manual Valve with Limit Switch													
Call Factory for Pricing													
Pneumatic Actuator Positioners													
P5	3-15PSIG input PMV Positioner (w/o gauges)								\$	696			
E5	4-20mADC Input positioners (w/o gauges)								\$	1,240			
									Effective:	11/1/2008			

4113 Series												
1 Piece, Flanged ANSI Class 300, C/S, Standard Port Ball Valve												
O Series				E Series				Electric		Manual		
Spring Return		Double Acting		Spring Return		Double Acting						
80 PSIG	60 PSIG	80 PSIG	60 PSIG	80 PSIG	60 PSIG	80 PSIG	60 PSIG	N4		XP		
*4113T--08S**	*4113T--06S**	*4113T--08D**	*4113T--06D**	*4113T--E8S**	*4113T--E6S**	*4113T--E8D**	*4113T--E6D**	*4113T--K4*	*4113T--O4*	*4113T--E7A	*4113TM	
C 1/2"	\$ 445	\$ 485	\$ 406	\$ 429	\$ 525	\$ 557	\$ 494	\$ 494	992	1372	1137	186
D 3/4"	\$ 506	\$ 506	\$ 450	\$ 450	\$ 578	\$ 578	\$ 515	\$ 515	1013	1393	1158	207
E 1"	\$ 551	\$ 551	\$ 495	\$ 495	\$ 623	\$ 623	\$ 560	\$ 596	1058	1438	1203	256
G 1 1/2"	\$ 659	\$ 659	\$ 638	\$ 638	\$ 795	\$ 822	\$ 671	\$ 671	1133	1513	2129	400
H 2"	\$ 767	\$ 840	\$ 704	\$ 704	\$ 888	\$ 1,080	\$ 812	\$ 835	1199	1579	2195	466
J 3"	\$ 1,225	\$ 1,312	\$ 1,089	\$ 1,186	\$ 1,465	\$ 1,465	\$ 1,220	\$ 1,220	1984	2535	2580	854
K 4"	\$ 2,127	\$ 2,127	\$ 1,927	\$ 1,927	\$ 2,292	\$ 3,067	\$ 1,946	\$ 2,126	2558	3109	5390	1408
* Size Code ** Fail Position: C=Closed, O=Open								A = 120VAC, ** Use: B(24VDC) or F(12VDC)				
* -- Use: D (Direct Mount), or B (Bracket Mount) Actuator												
4163 Series												
1 Piece, Flanged ANSI Class 300, 316SS, Standard Port Ball Valve												
O Series				E Series				Electric		Manual		
Spring Return		Double Acting		Spring Return		Double Acting						
80 PSIG	60 PSIG	80 PSIG	60 PSIG	80 PSIG	60 PSIG	80 PSIG	60 PSIG	N4		XP		
*4163T--08S**	*4163T--06S**	*4163T--08D**	*4163T--06D**	*4163T--E8S**	*4163T--E6S**	*4163T--E8D**	*4163T--E6D**	*4163T--K4*	*4163T--O4*	*4163T--E7A	*4163TM	
C 1/2"	\$ 494	\$ 534	\$ 455	\$ 478	\$ 574	\$ 606	\$ 543	\$ 543	1041	1421	1186	235
D 3/4"	\$ 555	\$ 555	\$ 499	\$ 499	\$ 627	\$ 627	\$ 564	\$ 564	1062	1442	1207	256
E 1"	\$ 616	\$ 616	\$ 560	\$ 560	\$ 688	\$ 688	\$ 625	\$ 661	1123	1503	1268	321
G 1 1/2"	\$ 758	\$ 758	\$ 737	\$ 737	\$ 894	\$ 921	\$ 770	\$ 770	1232	1612	2228	499
H 2"	\$ 931	\$ 1,004	\$ 868	\$ 868	\$ 1,052	\$ 1,244	\$ 976	\$ 999	1363	1743	2359	630
J 3"	\$ 1,569	\$ 1,656	\$ 1,433	\$ 1,530	\$ 1,809	\$ 1,809	\$ 1,564	\$ 1,564	2328	2879	2924	1198
K 4"	\$ 2,799	\$ 2,799	\$ 2,599	\$ 2,599	\$ 2,964	\$ 3,739	\$ 2,618	\$ 2,798	3230	3781	6062	2080
* Size Code ** Fail Position: C=Closed, O=Open								A = 120VAC, ** Use: B(24VDC) or F(12VDC)				
* -- Use: D (Direct Mount), or B (Bracket Mount) Actuator												
Bracket Pricing												
C	\$ 100											
D	\$ 100											
E	\$ 100											
G	\$ 100											
H	\$ 100											
J	\$ 270											
K	\$ 270											
Accessory items												
Solenoid Valves												
Code												
E1*	3-Way Nema 4/4X, potted 1/2" Conduit, NAMUR Mount								\$ 86			
E2*	3-Way Nema 4/4X/7, potted 1/2" Conduit, NAMUR Mount								\$ 122			
E3*	3-Way Nema 4/4X Din Cord Grip, NAMUR Mount								\$ 68			
E4*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount								\$ 77			
E5*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 6' Cord Set								\$ 94			
E6*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 15' Cord Set								\$ 102			
C1*	3/4-Way Nema 4/4X, potted 1/2" Conduit, NAMUR Mount								\$ 122			
C2*	3/4-Way Nema 4/4X/7, potted 1/2" Conduit, NAMUR Mount								\$ 158			
C3*	3/4-Way Nema 4/4X Din Cord Grip, NAMUR Mount								\$ 110			
C4*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount								\$ 110			
C5*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 6' Cord Set								\$ 127			
C6*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 15' Cord Set								\$ 135			
* Voltage Codes A=120VAC, B = 24VDC, C=220VAC, E=24VAC, F=12VDC, Others Available)												
Limit Switches												
YF	Weatherproof 2 SPDT, Mechanical								\$ 83			
YO	Class I, Div II, Proximity Sensor, Lexan Cover								\$ 516			
YH	Class I, Div I, Proximity Sensor, Alum. Cover								\$ 553			
YE	Class I, Div I, Mechanical Switch, Alum. Cover								\$ 369			
UA	Weatherproof Efelector IN0117 AC/DC Non-Contact, 2 NO Contacts								\$ 220			
UB	Weatherproof Efelector IN5327 DC Non-Contact, 2 NO Contacts								\$ 204			
Manual Valve with Limit Switch												
Call Factory for Pricing												
Pneumatic Actuator Positioners												
P5	3-15PSIG input PMV Positioner (w/o gauges)								\$ 696			
E5	4-20mADC Input positioners (w/o gauges)								\$ 1,240			
								Effective:		11/1/2008		

4213 series												
2 Piece, Flanged ANSI Class 300, C/S Full Port, Ball Valve												
O Series				E Series				Electric		Manual		
Spring Return		Double Acting		Spring Return		Double Acting						
80 PSIG	60 PSIG	80 PSIG	60 PSIG	80 PSIG	60 PSIG	80 PSIG	60 PSIG	N4		XP		
*4213T--08S**	*4213T--06S**	*4213T--08D**	*4213T--06D**	*4213T--E8S**	*4213T--E6S**	*4213T--E8D**	*4213T--E6D**	*4213T--K4A	*4213T--O4**	*4213T--E7A	*4213TM	
E 1"	\$ 620	\$ 620	\$ 599	\$ 599	\$ 659	\$ 756	\$ 632	\$ 632	1094	1474	1239	356
G 1½"	\$ 733	\$ 775	\$ 712	\$ 712	\$ 869	\$ 896	\$ 745	\$ 820	1207	1587	2203	474
H 2"	\$ 935	\$ 1,008	\$ 872	\$ 872	\$ 1,248	\$ 1,248	\$ 980	\$ 1,003	1367	1747	2363	634
J 3"	\$ 1,804	\$ 1,804	\$ 1,738	\$ 1,738	\$ 1,850	\$ 1,850	\$ 1,757	\$ 1,757	2369	2920	5201	1239
K 4"	\$ 2,963	\$ 2,963	\$ 2,238	\$ 2,238	\$ 3,378	\$ 3,378	\$ 2,437	\$ 2,989	3669	3420	5701	1719
* Size Code ** Fail Position: C=Closed, O=Open								A = 120VAC, ** Use: B(24VDC) or F(12VDC)				
* -- Use: D (Direct Mount), or B (Bracket Mount) Actuator												
4263 Series												
2 Piece, Flanged ANSI Class 300, S/S Full Port, Ball Valve												
O Series				E Series				Electric		Manual		
Spring Return		Double Acting		Spring Return		Double Acting						
80 PSIG	60 PSIG	80 PSIG	60 PSIG	80 PSIG	60 PSIG	80 PSIG	60 PSIG	N4		XP		
*4263T--08S**	*4263T--06S**	*4263T--08D**	*4263T--06D**	*4263T--E8S**	*4263T--E6S**	*4263T--E8D**	*4263T--E6D**	*4263T--K4A	*4263T--O4**	*4263T--E7A	*4263TM	
E 1"	\$ 676	\$ 676	\$ 655	\$ 655	\$ 715	\$ 812	\$ 688	\$ 688	1150	1530	1295	412
G 1½"	\$ 868	\$ 910	\$ 847	\$ 847	\$ 1,004	\$ 1,031	\$ 880	\$ 955	1342	1722	2338	609
H 2"	\$ 1,091	\$ 1,164	\$ 1,028	\$ 1,028	\$ 1,404	\$ 1,404	\$ 1,136	\$ 1,159	1523	1903	2519	790
J 3"	\$ 2,194	\$ 2,194	\$ 2,128	\$ 2,128	\$ 2,240	\$ 2,240	\$ 2,147	\$ 2,147	2759	3310	5591	1629
K 4"	\$ 3,652	\$ 3,652	\$ 2,927	\$ 3,062	\$ 4,067	\$ 4,067	\$ 3,126	\$ 3,678	4358	4109	6390	2408
* Size Code ** Fail Position: C=Closed, O=Open								A = 120VAC, ** Use: B(24VDC) or F(12VDC)				
* -- Use: D (Direct Mount), or B (Bracket Mount) Actuator												
Bracket Pricing												
E	\$ 100											
G	\$ 100											
H	\$ 100											
J	\$ 270											
K	\$ 270											
Accessory items												
Solenoid Valves												
Code												
E1*	3-Way Nema 4/4X, potted 1/2" Conduit, NAMUR Mount							\$	86			
E2*	3-Way Nema 4/4X/7, potted 1/2" Conduit, NAMUR Mount							\$	122			
E3*	3-Way Nema 4/4X Din Cord Grip, NAMUR Mount							\$	68			
E4*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount							\$	77			
E5*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 6' Cord Set							\$	94			
E6*	3-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 15' Cord Set							\$	102			
C1*	3/4-Way Nema 4/4X, potted 1/2" Conduit, NAMUR Mount							\$	122			
C2*	3/4-Way Nema 4/4X/7, potted 1/2" Conduit, NAMUR Mount							\$	158			
C3*	3/4-Way Nema 4/4X Din Cord Grip, NAMUR Mount							\$	110			
C4*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount							\$	110			
C5*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 6' Cord Set							\$	127			
C6*	3/4-Way Nema 4/4X Din, 1/2" Conduit, NAMUR Mount, 15' Cord Set							\$	135			
* Voltage Codes A=120VAC, B = 24VDC, C=220VAC, E=24VAC, F=12VDC, Others Available)												
Limit Switches												
YF	Weatherproof 2 SPDT, Mechanical							\$	83			
YO	Class I, Div II, Proximity Sensor, Lexan Cover							\$	516			
YH	Class I, Div I, Proximity Sensor, Alum. Cover							\$	553			
YE	Class I, Div I, Mechanical Switch, Alum. Cover							\$	369			
UA	Weatherproof Efector IN0117 AC/DC Non-Contact, 2 NO Contacts							\$	220			
UB	Weatherproof Efector IN5327 DC Non-Contact, 2 NO Contacts							\$	204			
Manual Valve with Limit Switch												
Call Factory for Pricing												
Pneumatic Actuator Positioners												
P5	3-15PSIG input PMV Positioner (w/o gauges)							\$	696			
E5	4-20mADC Input positioners (w/o gauges)							\$	1,240			
								Effective:	11/1/2008			